

# PFI-C635 Thermal Monocular Camera



#### **Key Features**

- Vanadium oxide uncooled focal plane detector.
- Ultra-low power consumption.
- Connects to the mobile app through Wi-Fi.
- Calculates distance using video analysis.
- Lightweight and portable.
- Picture in picture.
- Impact resistance reaches up to 1,000 g/1 ms.
- RAR (Recoil Activated Recorder).
- 1440 × 1080 OLED screen.
- Metal housing.
- IP67 rated.



#### **Technical Specification**

Thermal				
Detector Type	Vanadium oxide uncooled focal plane detector			
Effective Pixels	640 (H) × 512 (V)			
Pixel Pitch	12 μm			
Spectral Range	8 μm–14 μm			
Sensitivity (NETD)	≤30 mK@f/1.0, 25°C			
Focal Length	35 mm			
Aperture	F1.0			
Field of View	H: 12.4°; V: 10.0°			
Focus Control	Fixed			
Close Focus Distance	3 m (9.84 ft)			
Detection Distance	1,800 m (5,905.51 ft)			
Magnification	1.84×			
Frame Rate	50 Hz			
Display				
Screen	1440 × 1080, 0.41 inch, OLED			
Color Palettes	6 (white hot/black hot/iron red/alarm/emerald/amber)			
Video Compression	H.264			
Diopter Adjust	-5 D to +5 D			
Eye Relief	44 mm (1.73")			
Exit Pupil	6 mm			
Function				
Digital Zoom	1×; 2×; 4×; 8×			
Reticle	Multiple Patterns & Color Options			
Zeroing	Yes			
Video Recorder	Yes			
Snapshot	Yes			
WiFi Hotspot	Yes			
Hot Spot Track	Yes			
Video Distance Measurement	Yes			
FFC Calibration	Auto; manual; immediately			
Standby Mode	Yes			
PIP (Picture in Picture)	Yes			
DPC (Defective Pixel Correction)	Yes			
RAR (Recoil Activated Recorder)	Yes			




MIC	Yes		
Storage	Built-in 16 GB		
Power			
Battery Type	Replaceable and rechargeable 18650 battery		
Battery Life	6 h@25 °C		
Power Supply	5 VDC/1 A		
Port	USB Type-C		
Anti-reverse Battery Connection	Yes		
Overvoltage Protection	Yes		
General			
Operating Temperature	-30 °C to +55 °C (-22 °F to +131 °F)		
Operating Humidity	≤95%		
Max. Recoil	1,000 g/1 ms		
Protection Grade	IP67		
Packaging Dimensions	267 mm × 227 mm × 116 mm (10.51" × 8.94" × 4.57") (L × W × H)		
Product Dimensions	180.8 mm × 64.1 mm × 87.7 mm (7.12" × 2.52" × 3.45") (L × W × H)		
Gross Weight	1 kg (2.20 lb)		
Net Weight	≤460 g (1.01 lb) (battery excluded)		

### **Ordering Information**


Туре	Model	Description
Thermal Monocular Camera	PFI-C635	Thermal Monocular Camera




#### Installation



## Dimensions (mm[inch])







Rev 001.000 © 2023 Pixfra. All rights reserved. Design and specifications are subject to change without notice. The images, specifications and information mentioned in the document are only for reference, and might differ from the actual product.